



# SAFETY DATA SHEET

PREMIER MACHINE OIL ISO 68

Page: 1

Compilation date: 03/08/2015

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** PREMIER MACHINE OIL ISO 68

**Product code:** PREM-MACH68

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Lubricating oil

### 1.3. Details of the supplier of the safety data sheet

**Company name:** Premier Lubricants

Little Row

Fenton Industrial Estate

Stoke on Trent

ST4 2SQ

United Kingdom

**Tel:** +44 (0) 1782 410381

**Fax:** +44 (0) 1782 410684

**Email:** [info@premierlubricants.co.uk](mailto:info@premierlubricants.co.uk)

### 1.4. Emergency telephone number

**Emergency tel:** +44 (0) 1782 410381

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** This product has no classification under CLP.

### 2.2. Label elements

**Label elements:** This product has no label elements.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

[cont...]

# SAFETY DATA SHEET

PREMIER MACHINE OIL ISO 68

Page: 2

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

BASEOIL - UNSPECIFIED - LUBRICATING OILS (PETROLEUM), BASE OILS, PARAFFINIC

EINECS	CAS	PBT / WEL	CLP Classification	Percent
297-474-6	93572-43-1	-	-	50-70%

BASEOIL - UNSPECIFIED - DISTILLATES (PETROLEUM), SOLVENT-REFINED LIGHT NAPHTHENIC

265-098-1	64741-97-5	-	-	30-50%
-----------	------------	---	---	--------

**Contains:** Highly refined mineral oil - DMSO extract <3% (w/w) according to IP346

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Not thought to be a concern. Albeit the user must carry out a risk assesment to determine the level of "mist" in the atmosphere to be within guide limits however remove the affected employee(s) from exposure ensuring ones own safety whilst doing so

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Show this safety data sheet to the doctor in attendance.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

[cont...]

# SAFETY DATA SHEET

PREMIER MACHINE OIL ISO 68

Page: 3

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding. Inform the relevant authorities if the product has caused environmental pollution.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Store in a cool dry area - Protect drums from ingress of water Eating and drinking should be prohibited in areas where the material is handled. Avoid release to the environment. Empty containers retain product residue and can be hazardous. DO NOT RE-USE CONTAINER Observe good hygiene practices and use a suitable barrier cream at regular intervals.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** PC24: Lubricants, greases, release products.

[cont...]

# SAFETY DATA SHEET

PREMIER MACHINE OIL ISO 68

Page: 4

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. If user generates dust, fumes, gas vapor or mist use process enclosures, Local Exhaust Ventilation (LEV) or other engineering controls to keep worker exposure to airborne contaminants below any statutory or recommended limits.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Oil

**Colour:** Amber

**Odour:** Barely perceptible odour

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Insoluble

**Also soluble in:** Most organic solvents.

**Viscosity:** Oily

**Kinematic viscosity:** See PDS

**Viscosity test method:** Kinematic viscosity in 10-6 m<sup>2</sup>/s at 40°C (ISO 3104/3105)

**Boiling point/range°C:** >200

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

**upper:** No data available.

**Flash point°C:** >180

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** No data available.

**Vapour pressure:** No data available.

**Relative density:** See PDS

**pH:** No data available.

**VOC g/l:** No data available.

[cont...]

# SAFETY DATA SHEET

PREMIER MACHINE OIL ISO 68

Page: 5

## 9.2. Other information

**Other information:** Please refer to Product Data Sheet (PDS) for grade specific typical properties.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

[cont...]

# SAFETY DATA SHEET

PREMIER MACHINE OIL ISO 68

Page: 6

## 12.2. Persistence and degradability

**Persistence and degradability:** Not biodegradable.

## 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No data available.

## 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Oil re-refining or other reuses of oil.

**Waste code number:** 13 02 05

**Disposal of packaging:** Empty containers should be taken to an approved waste handling site for recycling or disposal

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Product is not subject to authorisation under REACH.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

[cont...]

# SAFETY DATA SHEET

PREMIER MACHINE OIL ISO 68

Page: 7

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.