

PREMIER AIR-LUBE

Page: 1

Compilation date: 16/09/19

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PREMIER AIR-LUBE AIR MISTLUBRICANT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC24: Lubricants, greases, release products. PC25: Metal working fluids.

1.3. Details of the supplier of the safety data sheet

Company name: Premier Lubricants Ltd

Little Row

Fenton Ind Estate Stoke-on-Trent

ST4 2SQ

Tel: +44 1782 410381

Email: info@premierlubricants.co.uk

1.4. Emergency telephone number

Tel: +44 1782 410381

Opening Hours: 09:00 – 17:00

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: AIR-LUBE

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

PREMIER AIR-LUBE

Page: 2

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat. There may be vomiting and diarrhoea.

Inhalation: Not applicable.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide.

Alcohol or polymer foam. Dry chemical powder. Do not use water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Avoid incompatible materials and conditions - see section 10 of SDS.

PREMIER AIR-LUBE

Page: 3

7.3. Specific end use(s)

Specific end use(s): PC24: Lubricants, greases, release products. PC25: Metal working fluids.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Gloves (oil-resistant).

Eye protection: Safety goggles. Face-shield. Ensure eye bath is to hand.

Skin protection: Oil-resistant protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow-gold

Odour: Odourless

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: Viscous

Kinematic viscosity: 39

Viscosity test method: Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3219)

Flash point°C: 300 Relative density: 0.914-0.920

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

PREMIER AIR-LUBE

Page: 4

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Excluded hazards for substance:

| Hazard | Route | Basis |
|--------------------------------|-------|-----------------------|
| Acute toxicity (ac. tox. 4) | - | Based on test data |
| Acute toxicity (ac. tox. 3) | - | No hazard: calculated |
| Acute toxicity (ac. tox. 2) | - | No hazard: calculated |
| Acute toxicity (ac. tox. 1) | - | No hazard: calculated |
| Skin corrosion/irritation | - | Based on test data |
| Serious eye damage/irritation | - | No hazard: calculated |
| Respiratory/skin sensitisation | - | No hazard: calculated |
| Germ cell mutagenicity | - | No hazard: calculated |
| Carcinogenicity | - | No hazard: calculated |
| Reproductive toxicity | - | No hazard: calculated |
| STOT-single exposure | - | No hazard: calculated |
| STOT-repeated exposure | - | No hazard: calculated |
| Aspiration hazard | - | No hazard: calculated |

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat. There may be vomiting and diarrhoea.

Inhalation: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Readily biodegradable.

PREMIER AIR-LUBE

Page: 5

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water. Floats on water. Absorbed only slowly into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Recycling/reclamation of organic substances which are not used as solvents (including

composting and other biological transformation processes). Oil re-refining or other

reuses of oil.

Waste code number: 13 02 07

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.