

000003001373

Version 2.0

Revision Date 2015/04/02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: PURITY ^{TM/MC} FG2
Product code	: PFG2P17, PFG2KGL, PFG2DRL, PFG2, PFG2C30

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: NSF H1 Registered.
	This product complies with FDA requirements for "Lubricants with Incidental Food Contact". It is intended for application on industrial and food equipment. It should not be added directly to the food product.

1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details	Petro-Canada Europe Lubricants Limited Wellington House, Starley Way Birmingham International Park Solihull B37 7HB United Kingdom
E-mail address of person : responsible for the SDS	EUSDS@suncor.com

1.4 Emergency telephone number

Emergency telephone	:	Suncor Energy: +1 403-296-3000;
number		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.



000003001373

Version 2.0

Revision Date 2015/04/02

Print Date 2015/04/02

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components	
Remarks	: No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	: Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In the event of a known, or potential, high pressure injection injury, worker should obtain immediate medical evaluation.
In case of eye contact	 Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks :	First aider needs to protect himself.
Internet: lubricants.petro-canada.ca/msds	Page: 2



000003001373

Version 2.0

Revision Date 2015/04/02

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures			
5.1	Extinguishing media		
	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Unsuitable extinguishing media	:	No information available.
5.2 Special hazards arising from the substance or mixture			
	Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
	Hazardous combustion products	:	Carbon oxides (CO, CO2), sulphur oxides (SOx), phosphorus oxides (POx), nitrogen oxides (NOx), smoke and irritating vapours as products of incomplete combustion.
5.3 Advice for firefighters			
	Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. 		
6.2 Environmental precautions			
Environmental precautions	: Do not allow uncontrolled discharge of product into the environment.		
6.3 Methods and material for containment and cleaning up Methods for cleaning up : Prevent further leakage or spillage if safe to do so.			

: Prevent further leakage or spillage if safe to do so.
Remove all sources of ignition.
Soak up with inert absorbent material.
Non-sparking tools should be used.
Ensure adequate ventilation.



Version 2.0

Revision Date 2015/04/02

Contact the proper local authorities.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage,		
Requirements for storage	:	Store in original container. Containers which are opened must

Requirements for storage :	Store in original container. Containers which are opened must
areas and containers	be carefully resealed and kept upright to prevent leakage.
	Keep in a dry, cool and well-ventilated place. Keep in properly
	labelled containers. To maintain product quality, do not store
	in heat or direct sunlight.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Wear face-shield and protective suit for abnormal processing problems.



000003001373

Version 2.0	Revision Date 2015/04/02	Print Date 2015/04/02
Hand protection		
Material	: neoprene, nitrile, polyvinyl alcohol (I	PVA), Viton(R).
Remarks	: Chemical-resistant, impervious glov approved standard should be worn chemical products if a risk assessme necessary.	at all times when handling
Skin and body protection	: Choose body protection in relation to concentration and amount of danger the specific work-place.	

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	: organic vapour filter

Protective measures	:	Wash contaminated clothing before re-use.
		No special protective equipment required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Appearance	:	Semi-solid.	
	Colour	:	Cream-white	
	Odour	:	Bland.	
	Odour Threshold	:	No data available	
	рН	:	No data available	
	Pour point	:	-15 °C (5 °F)	
	Boiling point/boiling range	:	No data available	
	Flash point	:	249 °C (480 °F) Method: Cleveland open cup	
	Fire Point	:	No data available	
	Auto-Ignition Temperature	:	No data available	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	Low fire hazard. This material must be heated before ign will occur.	nition
	Upper explosion limit	:	No data available	
1	net: lubricants petro-canada ca/msd	le	D	200.2 / 1



000003001373

Version 2.0	Revision Date 2015/04/02	Print Date 2015/04/02
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.877 kg/l (15 °C / 59 °F)	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity		
Viscosity, kinematic	: 182 cSt (40 °C / 104 °F)	
	17 cSt (100 °C / 212 °F)	
Explosive properties	: Do not pressurise, cut, weld, braze, expose containers to heat or source	-
9.2 Other information		
No data available		

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

Hazardous reactions	: Hazardous polymerisation does not occur. Stable under normal conditions.
10.4 Conditions to avoid Conditions to avoid	: No data available

10.5 Incompatible materials

Materials to avoid	:	Reactive with	oxidising agents.
--------------------	---	---------------	-------------------

10.6 Hazardous decomposition products

Hazardous decomposition	:	May release COx, NOx, SOx, POx, smoke and irritating
products		vapours when heated to decomposition.



000003001373

Version 2.0

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure		Eye contact Ingestion Inhalation Skin contact
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Product:

Remarks: No data available

Serious eye damage/eye irritation

Product:

Remarks: No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

Internet: lubricants.petro-canada.ca/msds Petro-Canada is a Suncor Energy business.



000003001373

Version 2.0

Revision Date 2015/04/02

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:	
Toxicity to fish	: Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	: Remarks: No data available
Toxicity to algae	: Remarks: No data available
Toxicity to bacteria	: Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: No data available
Dioucyradabiity	

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed disposal company.
Waste must be classified and labelled prior to recycling or disposal.
Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and national regulations.
Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.



000003001373

Version 2.0

Revision Date 2015/04/02

Print Date 2015/04/02

SECTION 14: Transport information

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

49 CFR

Not regulated as a dangerous good **TDG** Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15: Regulatory information

15. ⁻	Safety, health and environme Water contaminating class (Germany)		•	legislation specific for the substance or mixture slightly water endangering
	The components of this proc	luc	t are reported	in the following inventories:
	DSL	:	On the invento	ory, or in compliance with the inventory
	TSCA	:		ubstances in this product are either listed on the ry or are in compliance with a TSCA Inventory
	AICS	:	On the invento	ory, or in compliance with the inventory
	IECSC	:	On the invento	ory, or in compliance with the inventory
	ENCS	:	On the invento	ory, or in compliance with the inventory
	NZIoC	:	On the invento	ory, or in compliance with the inventory
	EINECS	:	On the invento	bry, or in compliance with the inventory



000003001373

Version 2.0

Revision Date 2015/04/02

15.2 Chemical Safety Assessment

SECTION 16: Other information For Copy of (M)SDS : Internet: lubricants.petro-canada.ca/msds
Europe, telephone: 00-800-7387-6000
For Product Safety Information: 1 905-804-4752 Prepared by : Product Safety: +1 905-804-4752

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.